LaJuana S. Wilcher Secretary

AIR QUALITY PERMIT

Ernie Fletcher Governor

Issued under 401 KAR 52:030 Federally-enforceable Permits for Nonmajor Sources



Commonwealth of Kentucky
Natural Resources and Environmental Protection Cabinet
Department for Environmental Protection
Division for Air Quality
803 Schenkel Lane
Frankfort, Kentucky 40601
(502) 573-3382

Permittee Name: TIN Inc. dba Temple-Inland

Mailing Address: 1241 West 2nd Street, Maysville, KY 41056

is authorized to operate a recycled linerboard and corrugated medium paper mill.

Source Name: TIN Inc. dba Temple-Inland

Mailing Address: 1241 West 2nd Street, Maysvilled, KY 41056

Source Location: Same as above

KYEIS ID #: 21-161-00032 SIC Code: 2631 **Log Number:** 55359 County: Mason

AI Number: 3008 Activity #: APE 20040002

Permit Number: F-05-003 Permit Type: Conditional Major Operating

Regional Office: Ashland Completion Date: March 15, 2005

1550 Wolohan Drive, Suite 1 Issuance Date: July 5, 2005 Ashland, KY 41102 Expiration Date: July 5, 2010

> John S. Lyons, Director Division for Air Quality

DEP7001 (6-97) *Revised: 07/10/03*

TIN Inc - Temple-Inland Subject Item Inventory

Activity ID No.: APE20040002

Subject Item Inventory:

ID	Designation	Description
AIOO3008		
COMB1	014	Emission point 14 & 15(B1 & B2) Temporary package boiler #1 & #2 Max annual fuel usage rate = 786,885 gallons total Total rated capacity for all boilers = 100mmBtu/hr
EQPT1	002	Emission Unit 02 (SP1-SP3, SP5, SP6) Pulping & stock preparation area Date installed: 1991 Maximum operating limit: 558,163 MDT/yr
EQPT2	003	Emission Unit 03(SP4, PM1-PM25) Paper Machine Area Date installed: 1991 Maximum operating limit: 558,163 MDT/yr
EQPT3	004	Emission Unit 04(F1-F5) Effluent Treatment Plant
EQPT5	Insign.	Insignificant activities: Water Treatment Chemicals-Storage & Use Wastewater Treatment Chemicals-Storage & Use Process Additive Chemicals for Pulping, Stock Preparation and Paper Making-Storage & Use Gasoline Tank (1000 gal) Diesel Fuel Storage Tank (1000 gal) Diesel Fuel Tank for Fire Pump (285 gal) Used Oil Tank (1000 gal) Wet End Lube Oil Storage Tank (2000 gal) Dry End Lube Oil Storage Tank (2000 gal) Fire Pump Engine (200 hp) Laboratory Fume Hoods Gas-Fired Space Heaters

TIN Inc - Temple-Inland Subject Item Inventory

Activity ID No.: APE20040002

ID	Designation	Description
STOR1	016	Emission Units 16 & 17 Starch Storage Silos Date installed: 1991 Typical average throughput: 11.25 tons/hr each silo (16,745 tons/yr per silo) Capacity: 150 ton each silo Controls: Fabric filter

Subject Item Groups:

ID	Description	Components
GACT5	Emission Unit 02: Stock preparation and pulping area	EQPT1 Emission Unit 02 (SP1-SP3, SP5, SP6)
	Emission Unit 03: Paper machine area	Pulping & stock preparation area
		Date installed: 1991
		Maximum operating limit: 558,163 MDT/yr
		EQPT2 Emission Unit 03(SP4, PM1-PM25)
		Paper Machine Area
		Date installed: 1991
		Maximum operating limit: 558,163 MDT/yr
GACT6	Emission Unit 04 & Insignificant activities	EQPT3 Emission Unit 04(F1-F5)
		Effluent Treatment Plant

TIN Inc - Temple-Inland Subject Item Inventory

Activity ID No.: APE20040002

ID	Description	Components
GACT6	Emission Unit 04 & Insignificant activities	EQPT5 Insignificant activities:
	-	Water Treatment Chemicals-Storage & Use
		Wastewater Treatment Chemicals-Storage & Use
		Process Additive Chemicals for Pulping, Stock Preparation and Paper Making-Storage & Use
		Gasoline Tank (1000 gal)
		Diesel Fuel Storage Tank (1000 gal)
		Diesel Fuel Tank for Fire Pump (285 gal)
		Used Oil Tank (1000 gal)
		Wet End Lube Oil Storage Tank (2000 gal)
		Dry End Lube Oil Storage Tank (2000 gal)
		Fire Pump Engine (200 hp)
		Laboratory Fume Hoods
		Gas-Fired Space Heaters

KEY		
ACTV = Activity	AIOO = Agency Interest	
AREA = Area	COMB = Combustion	
EQPT = Equipment	MNPT = Monitoring Point	
PERS = Personnel	PORT = Transport	
STOR = Storage	STRC = Structure	
TRMT = Treatment		

TIN Inc - Temple-Inland Facility Requirements

Activity ID No.: APE20040002

Page 1 of 16

Submittal/Action Requirements:

Condition No. Condition

S-1 SEMIANNUAL REPORTS:

The permittee shall submit report(s): Due semiannually, by the 30th of January and July to the Regional Office listed on the front of this permit, for the duration of this permit, unless otherwise stated. This report shall be a summary of any monitoring required by this permit, other than continuous emission or opacity monitors. For emission units that were still under construction or which had not commenced operation at the end of the 6-month period covered by the report and are subject to monitoring requirements in this permit, the report shall indicate that no monitoring was performed during the previous six months because the emission unit was not in operation. All deviations from permit requirements shall be clearly identified in the reports. [Cabinet Provisions and Procedures for Issuing Federally-Enforceable Permits for Non-Major Sources, Section 1b (V)1] All reports shall be certified by a responsible official. [401 KAR 52:030, Section 22] Data from the continuous emission and opacity monitors shall be reported to the Technical Services Branch in accordance with the requirements of 401 KAR 59:005, Section 3(3). [401 KAR 52:030 Section 26, 401 KAR 52:030 Section 22, 401 KAR 59:005 Section 3(3)]

S-2 EMISSION EXCEEDANCES:

The owner or operator shall submit report(s): Due within thirty (30) days of emission related excedances from permit requirements, including those attributed to upset conditions (other than emission exceedances covered by Requirement D.5); to the Regional Office listed on the front of this permit. Other deviations from permit requirements shall be included in the semiannual reports required by Condition No S-1. [Cabinet Provisions and Procedures for Issuing Federally-Enforceable Permits for Non-Major Sources, Section 1b (V)(3) and (4)]. [401 KAR 52:030 Section 26]

TIN Inc - Temple-Inland Facility Requirements

Activity ID No.: APE20040002

Submittal/Action Requirements:

Condition
No. Condition

S-3 COMPLIANCE CERTIFICATION:

The permittee shall certify compliance with the terms and conditions contained in this permit and shall submit compliance certification: Due annually, by the 30th of January to the Regional Office listed on the front of this permit. Compliance Certification Form (DEP 7007CC) (or an approved alternative) shall be used in accordance with the following requirements:

- a. Identification of each term or condition of the permit that is the basis of the certification;
- b. The compliance status regarding each term or condition of the permit;
- c. Whether compliance was continuous or intermittent; and
- d. The method used for determining the compliance status for the source, currently and over the reporting period.
- e. For an emissions unit that was still under construction or which has not commenced operation at the end of the year covered by the annual compliance certification, the permittee shall indicate that the unit is under construction and that compliance with any applicable requirements will be demonstrated within the timeframes specified in the permit.
- f. The certification shall be postmarked by January 30th of each year. Annual compliance certifications should be mailed to the Regional Office listed on the front of this permit and the following address:

Division for Air Quality Central Files 803 Schenkel Lane Frankfort, KY 40601. [401 KAR 52:030 Section 21]

S-4 PERFORMANCE TEST NOTICE AND REPORT:

Pursuant to Section VII 2.(1) of the policy manual of the Division for Air Quality as referenced by 401 KAR 50:016, Section 1.(1), at least one month prior to the date of any required performance test(s), the permittee shall complete and return a Compliance Test Protocol (Form DEP 6027) to the Division's Frankfort Central Office. Pursuant to 401 KAR 50:045, Section 5, the Division shall be notified of the actual test date at least ten (10) days prior to the test.

For any performance test(s) required by this permit, the permittee shall submit performance/emission test results: Due within 45 days of the completion of the fieldwork to the Division [Policy Manual of the Division of Air Quality, Section VII.3]. [401 KAR 50:016 Section 1(1)]

Page 2 of 16

TIN Inc - Temple-Inland Facility Requirements

Activity ID No.: APE20040002

Page 3 of 16

Submittal/Action Requirements:

Condition No.	Condition
S-5	PERMIT EXPIRATION AND REAPPLICATION REQUIREMENTS:
	This permit shall remain in effect for a fixed term of five (5) years following the original date of issue. Permit expiration shall terminate the source's right to operate. The permittee shall submit permit application for renewal: Due at least 180 days prior to permit expiration to the Division. Upon a timely and complete submittal, the authorization to operate within the terms and conditions of this permit, including any permit shield, shall remain in effect beyond the expiration date, until the renewal permit is issued or denied by the Division. [401 KAR 52:030 Section 12]

Condition No.	Condition
T-1	SECTION A. PERMIT AUTHORIZATION. [401 KAR 52:030]
T-2	A1. Pursuant to a duly submitted application, the Kentucky Division for Air Quality hereby authorizes the operation of the equipment described herein in accordance with the terms and conditions of this permit. This permit has been issued under the provisions of Kentucky Revised Statutes Chapter 224 and regulations promulgated pursuant thereto.
	The permittee shall not construct, reconstruct, or modify any affected facilities without first having submitted a complete application and receiving a permit for the planned activity from the permitting authority, except as provided in this permit or in 401 KAR 52:030, Federally-enforceable permits for non-major sources.
	Issuance of this permit does not relieve the permittee from the responsibility of obtaining any other permits, licenses, or approvals required by this Cabinet or any other federal, state, or local agency. [401 KAR 52:030]
T-3	SECTION B. SOURCE EMISSION LIMITATIONS AND TESTING REQUIREMENTS. [401 KAR 52:030]
T-4	B1. Compliance with annual emissions and processing limitations contained in this permit, shall be based on emissions and processing rates for any twelve (12) consecutive months. [Cabinet Provisions and Procedures for Issuing Federally-Enforceable Permits for Non-Major Sources, Section 1b] [401 KAR 52:030 Section 26]

TIN Inc - Temple-Inland Facility Requirements

Activity ID No.: APE20040002

Page 4 of 16

Condition No.	Condition
T-5	B2. Sulfur dioxide, Particulate matter, PM-10 & VOC emissions, as measured by methods referenced in 401 KAR 50:015 Section 1, shall not exceed the respective limitations specified herein. [401 KAR Chapter 52]
T-6	SECTION C. SOURCE CONTROL EQUIPMENT REQUIREMENTS. [401 KAR 50:055]
T-7	C1. At all times, including periods of startup, shutdown and malfunction, owners and operators shall, to the extent practicable, maintain and operate any affected facility including associated air pollution control equipment in a manner consistent with good air pollution control practice for minimizing emissions. Determination of whether acceptable operating and maintenance procedures are being used will be based on information available to the Division which may include, but is not limited to, monitoring results, opacity observations, review of operating and maintenance procedures, and inspection of the source. [401 KAR 50:055 Section 2(5)]
T-8	SECTION D. MONITORING, RECORD KEEPING, AND REPORTING REQUIREMENTS. [401 KAR 52:030]
T-9	D.1. When continuing compliance is demonstrated by periodic testing or instrumental monitoring, the permittee shall compile records of required monitoring information that include: a. Date, place (as defined in this permit), and time of sampling or measurements; b. Analyses performance dates; c. Company or entity that performed analyses; d. Analytical techniques or methods used; e. Analyses results; and f. Operating conditions during time of sampling or measurement. [Cabinet Provisions and Procedures for Issuing Federally-Enforceable Permits for Non-Major Sources, Section 1b (IV)(1)] [401 KAR 52:030 Section 26]
T-10	D.2. Records of all required monitoring data, support information (including calibrations, maintenance records, and original strip chart recordings), and reports required by the Division for Air Quality shall be retained by the permittee for a period of five years. These records shall be made available for inspection upon request by any duly authorized representative of the Division for Air Quality. [Cabinet Provisions and Procedures for Issuing Federally-Enforceable Permits for Non-Major Sources, Section 1b (IV)(2) and Section 1a (7)] [401 KAR 52:030 Section 26]
T-11	 D.3. The permittee shall allow authorized representatives of the Cabinet to perform the following during reasonable times: a. To access and copy any records required by the permit; b. To inspect any facility, equipment (including monitoring and air pollution control equipment), practice, or operation; and c. To sample or monitor substances or parameters to assure compliance with the permit or any applicable requirements. Reasonable times are defined as during all hours of operation, during normal office hours, or during an emergency. [401 KAR 52:030 Section 3(1)(f)]

TIN Inc - Temple-Inland Facility Requirements

Activity ID No.: APE20040002

Narrative Requirements:

Condition	
No.	Condition
T-12	D.4. No person shall obstruct, hamper, or interfere with any Cabinet employee or authorized representative while in the process of carrying out official duties. Refusal of entry or access may constitute grounds for permit revocation and assessment of civil penalties. [KRS 77.165, 401 KAR 50:060]
T-13	D.5. The owner or operator shall notify the Regional Office listed on the front of this permit concerning startups, shutdowns, or malfunctions as follows: i) When emissions during any planned shutdowns and ensuing startups will exceed the standards, notification shall be made no later than three (3) days before the planned shutdown, or immediately following the decision to shut down, if the shutdown is due to events which could not have been foreseen three (3) days before the shutdown. ii) When emissions due to malfunctions, unplanned shutdowns and ensuing startups are or may be in excess of the standards the permittee shall notify the division as promptly as possible by telephone (or other electronic media) and shall submit written notice upon request. [401 KAR 50:055 Section 1]
T-14	D.6. The permittee shall provide the Division with all information necessary to determine its subject emissions within thirty (30) days of the date the KEIS emission report is mailed to the permittee. If a KEIS emission report is not mailed to the permittee, comply with all other emission reporting requirements in this permit. [401 KAR 52:030 Section 3(1)(d)]
T-15	D.7. The Cabinet may authorize the temporary use of an emission unit to replace a similar unit that is taken off-line for maintenance, if the following conditions are met: a. The owner or operator shall submit to the Cabinet, at least ten (10) days in advance of replacing a unit, the appropriate Forms DEP7007AI to DD that show: i. The size and location of both the original and replacement units; and ii. Any resulting change in emissions; b. The PTE of the replacement unit shall not exceed that of the original unit by more than twenty-five (25) percent of a major source threshold, and the emissions from the unit shall not cause the source to exceed the emissions allowable under the permit; c. The PTE of the replacement unit or the resulting PTE of the source shall not subject the source to a new applicable requirement; d. The replacement unit shall comply with all applicable requirements; and e. The source shall notify Regional office of all shutdowns and start-ups. f. Within six (6) months after installing the replacement unit, the owner or operator shall i. Re-install the original unit and remove or dismantle the replacement unit; or ii. Submit an application to permit the replacement unit as a permanent change. [401 KAR 52:030 Section 20]
T-16	SECTION E. GENERAL PROVISIONS. [401 KAR 52:030]
T-17	E(a) General Compliance Requirements. [401 KAR 52:030]

Page 5 of 16

TIN Inc - Temple-Inland Facility Requirements

Activity ID No.: APE20040002

Page 6 of 16

Condition No.	Condition
T-18	E(a)1. The permittee shall comply with all conditions of this permit. A noncompliance shall be a violation of 401 KAR 52:030 Section 3(1)(b) and is also a violation of Federal Statute 42 USC 7401 through 7671q (the Clean Air Act). Noncompliance with this permit is grounds for enforcement action including but not limited to the termination, revocation and reissuance, revision, or denial of a permit. [Cabinet Provisions and Procedures for Issuing Federally-Enforceable Permits for Non-Major Sources, Section 1a (2)] [401 KAR 52:030 Section 26]
T-19	E(a)2. Notification by the permittee of a planned change or anticipated noncompliance, or filing of a request for any permit revision, revocation, reissuance, or termination shall not stay any permit condition. [Cabinet Provisions and Procedures for Issuing Federally-Enforceable Permits for Non-Major Sources, Section 1a (5)] [401 KAR 52:030 Section 26]
T-20	E(a)3. This permit may be revised, revoked, reopened and reissued, or terminated for cause in accordance with 401 KAR 52:030 Section 18. The permit will be reopened for cause and revised accordingly under the following circumstances: a. If additional applicable requirements become applicable to the source and the remaining permit term is three (3) years or longer. In this case, the reopening shall be completed no later than eighteen (18) months after promulgation of the applicable requirement. A reopening shall not be required if compliance with the applicable requirement is not required until after the date on which the permit is due to expire, unless this permit or any of its terms and conditions have been extended pursuant to 401 KAR 52:030 Section 12; b. The Cabinet or the U. S. EPA determines that the permit must be revised or revoked to assure compliance with the applicable requirements; c. The Cabinet or the U. S. EPA determines that the permit contains a material mistake or that inaccurate statements were made in establishing the emissions standards or other terms or conditions of the permit. Proceedings to reopen and reissue a permit shall follow the same procedures as apply to initial permit issuance and shall affect only those parts of the permit for which cause to reopen exists. Reopenings shall be made as expeditiously as practicable. Reopenings shall not be initiated before a notice of intent to reopen is provided to the source by the Division, at least thirty (30) days in advance of the date the permit is to be reopened, except that the Division may provide a shorter time period in the case of an emergency. [Cabinet Provisions and Procedures for Issuing Federally-Enforceable Permits for Non-Major Sources, Section 1a (4)] [401 KAR 52:030 Section 26] [401 KAR 50:060 Section 27] [401 KAR 52:030 Section 7(3), 401 KAR 52:030 Section 26, 401 KAR 50:060 Section 27]
T-21	E(a)4. The permittee shall furnish upon request information requested by the Division to determine compliance with the permit or to determine if cause exists for modifying, revoking and reissuing, or terminating the permit. [Cabinet Provisions and Procedures for Issuing Federally-Enforceable Permits for Non-Major Sources, Sections 1a (6) and (7)] [401 KAR 52:030 Section 26]
T-22	E(a)5. The permittee, upon becoming aware that any relevant facts were omitted or incorrect information was submitted in the permit application, shall promptly submit such supplementary facts or corrected information to the permitting authority. [401 KAR 52:030 Section 7(1)]
T-23	E(a)6. Any condition or portion of this permit which becomes suspended or is ruled invalid as a result of any legal or other action shall not invalidate any other portion or condition of this permit. [Cabinet Provisions and Procedures for Issuing Federally-Enforceable Permits for Non-Major Sources, Section 1a (11)] [401 KAR 52:030 Section 26]

TIN Inc - Temple-Inland Facility Requirements

Activity ID No.: APE20040002

Narrative Requirements:

Condition	
No.	Condition
T-24	E(a)7. The permittee shall not use as a defense in an enforcement action the contention that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance. [Cabinet Provisions and Procedures for Issuing Federally-Enforceable Permits for Non-Major Sources, Section 1a (3)] [401 KAR 52:030 Section 26]
T-25	E(a)8. Except for requirements identified as state-origin requirements in this permit, all terms and conditions contained herein shall be enforceable by the United States Environmental Protection Agency and citizens of the United States. [Cabinet Provisions and Procedures for Issuing Federally-Enforceable Permits for Non Major Sources, Section 1a (12)(b)] [401 KAR 52:030 Section 26]
T-26	E(a)9. This permit shall be subject to suspension if the permittee fails to pay all emissions fees within 90 days after the date of notice as specified in 401 KAR 50:038 Section 3(6). [Cabinet Provisions and Procedures for Issuing Federally-Enforceable Permits for Non-Major Sources, Section 1a (9)] [401 KAR 52:030 Section 26]
T-27	E(a)10. Nothing in this permit shall alter or affect the liability of the permittee for any violation of applicable requirements prior to or at the time of permit issuance. [401 KAR 52:030 Section 11(3)]
T-28	E(a)11. This permit does not convey property rights or exclusive privileges. [Cabinet Provisions and Procedures for Issuing Federally-Enforceable Permits for Non-Major Sources, Section 1a (8)] [401 KAR 52:030 Section 26]
T-29	E(a)12. Issuance of this permit does not relieve the permittee from the responsibility of obtaining any other permits, licenses, or approvals required by the Kentucky Cabinet for Environmental and Public Protection or any other federal, state, or local agency. [401 KAR 52:030]
T-30	E(a)13. Nothing in this permit shall alter or affect the authority of U.S. EPA to obtain information pursuant to Federal Statute 42 USC 7414, Inspections, monitoring, and entry. [401 KAR Chapter 52]
T-31	E(a)14. Nothing in this permit shall alter or affect the authority of U.S. EPA to impose emergency orders pursuant to Federal Statute 42 USC 7603, Emergency orders. [401 KAR Chapter 52]
T-32	E(a)15. Permit Shield – A permit shield shall not protect the owner or operator from enforcement actions for violating an applicable requirement prior to or at the time of permit issuance. Compliance with the conditions of this permit shall be considered compliance with: (a) Applicable requirements that are included and specifically identified in this permit; and (b) Non-applicable requirements expressly identified in this permit. [401 KAR 52:030 Section 11]
T-33	E(a)16. Emission units described in this permit shall demonstrate compliance with applicable requirements if requested by the Division. [401 KAR 52:030 Section 3(1)(c)]

Page 7 of 16

TIN Inc - Temple-Inland Facility Requirements

Activity ID No.: APE20040002

Narrative Requirements:

Condition No.	Condition
T-34	E(a)17. The authority to operate granted through this permit shall cease to apply if the source fails to submit additional information requested by the Division after the completeness determination has been made on any application, by whatever deadline the Division sets. [401 KAR 52:030 Section 8(2)]
T-35	E(a)18. This permit consolidates the authority of any previously issued PSD, NSR, or Synthetic minor source preconstruction permit terms and conditions for various emission units and incorporates all requirements of those existing permits into one single permit for this source. [401 KAR Chapter 51]
T-36	E(b) Permit Revisions. [401 KAR 52:030]
T-37	E(b)1. Minor permit revision procedures specified in 401 KAR 52:030 Section 14 (3) may be used for permit revisions involving the use of economic incentive, marketable permit, emission trading, and other similar approaches, to the extent that these minor permit revision procedures are explicitly provided for in the SIP or in applicable requirements and meet the relevant requirements of 401 KAR 52:030 Section 14 (2). [401 KAR 52:030 Section 14(2)]
T-38	E(b)2. This permit is not transferable by the permittee. Future owners and operators shall obtain a new permit from the Division for Air Quality. The new permit may be processed as an administrative amendment if no other change in this permit is necessary, and provided that a written agreement containing a specific date for transfer of permit responsibility coverage and liability between the current and new permittee has been submitted to the permitting authority within ten (10) days following the transfer. [401 KAR 52:030]
T-39	E(e) Emergency Provisions. [401 KAR 52:030]
T-40	E(e)1. An emergency shall constitute an affirmative defense to an action brought for noncompliance with the technology-based emission limitations if the permittee demonstrates through properly signed contemporaneous operating logs or other relevant evidence that: a. An emergency occurred and the permittee can identify the cause of the emergency; b. The permitted facility was at the time being properly operated; c. During an emergency, the permittee took all reasonable steps to minimize levels of emissions that exceeded the emissions standards or other requirements in the
	permit; and, d. The permittee notified the Division as promptly as possible and submitted written notice of the emergency to the Division within two (2) working days of the time when emission limitations were exceeded due to the emergency. The notice shall include a description of the emergency, steps taken to mitigate emissions, and the corrective actions taken. [401 KAR 52:030 Section 23(1)]
T-41	E(e)2. Notification of the Division does not relieve the source of any other local, state or federal notification requirements. [401 KAR 52:030]
T-42	E(e)3. Emergency conditions listed in General Provision E(e)1 above are in addition to any emergency or upset provision(s) contained in an applicable requirement. [401 KAR Chapter 52 Section 23(3)]

Page 8 of 16

TIN Inc - Temple-Inland Facility Requirements

Activity ID No.: APE20040002

Narrative Requirements:

Condition No.	Condition
T-43	E(e)4. In an enforcement proceeding, the permittee seeking to establish the occurrence of an emergency shall have the burden of proof. [401 KAR 52:030 Section 23(2)]
T-44	E(f) Risk Management Provisions. [401 KAR Chapter 68]
T-45	E(f)1. The permittee shall comply with all applicable requirements of 401 KAR Chapter 68, Chemical Accident Prevention, which incorporates by reference 40 CFR Part 68, Risk Management Plan provisions. If required, the permittee shall comply with the Risk Management Program and submit a Risk Management Plan to
	RMP Reporting Center P.O. Box 3346 Merrifield, VA, 22116-3346. [401 KAR Chapter 68]
T-46	E(f)2. If requested, submit additional relevant information by the Division or the U.S. EPA. [401 KAR Chapter 68]
T-47	E(g) Ozone depleting substances. [40 CFR 82]
T-48	E(g)1. The permittee shall comply with the standards for recycling and emissions reduction pursuant to 40 CFR 82, Subpart F, except as provided for Motor Vehicle Air Conditioners (MVACs) in Subpart B: a. Persons opening appliances for maintenance, service, repair, or disposal shall comply with the required practices contained in 40 CFR 82.156. b. Equipment used during the maintenance, service, repair, or disposal of appliances shall comply with the standards for recycling and recovery equipment contained in 40 CFR 82.158. c. Persons performing maintenance, service, repair, or disposal of appliances shall be certified by an approved technician certification program pursuant to 40 CFR 82.161. d. Persons disposing of small appliances, MVACs, and MVAC-like appliances (as defined at 40 CFR 82.152) shall comply with the recordkeeping requirements pursuant to 40 CFR 82.166. e. Persons owning commercial or industrial process refrigeration equipment shall comply with the leak repair requirements pursuant to 40 CFR 82.156. f. Owners/operators of appliances normally containing 50 or more pounds of refrigerant shall keep records of refrigerant purchased and added to such appliances pursuant to 40 CFR 82.166. [40 CFR 82]
T-49	E(g)2. If the permittee performs service on motor (fleet) vehicle air conditioners containing ozone-depleting substances, the source shall comply with all applicable requirements as specified in 40 CFR 82, Subpart B, Servicing of Motor Vehicle Air Conditioners. [40 CFR 82]

Page 9 of 16

TIN Inc - Temple-Inland Facility Requirements

Activity ID No.: APE20040002

Page 10 of 16

COMB1 (014) Emission point 14 & 15(B1 & B2) Temporary package boiler #1 & #2

Limitation Requirements:

Condition	n		
No.	Parameter	Condition	
L-1	SO2 (Sulfur Dioxide)	Each unit shall have emissions of SO2 (Sulfur Dioxide) <= 1.17 lb/mm Btu actual heat input.	
		Compliance Demonstration Method:	
		Compliance is demonstrated with AP-42 (Chapter 1, Table 1.5-1) emission factor of 0.1 lb/1000 gal propane and a propane heat capacity of 91.5 mmBtu/1000 gal propane.	
		Limitation. [401 KAR 59:015 Section 5(1)] This requirement is applicable during the following months: All Year. Statistical basis: Three-hour average.	
L-2	PT (Particulate Matter)	Each unit shall have emissions of PT (Particulate Matter) <= 0.33 lb/mm Btu actual heat input.	
		Compliance Demonstration Method:	
			Compliance is demonstrated with AP-42 (Chapter 1, Table 1.5-1) emission factor of 0.6 lb/1000 gal propane and a propane heat capacity of 91.5 mmBtu/1000 gal propane.
			Limitation. [401 KAR 59:015 Section 4(1)] This requirement is applicable during the following months: All Year. Statistical basis: Three-hour average.
L-3	Visible Emissions	The unit shall have Visible Emissions <= 20 % opacity except for emissions occurring during cleaning of the firebox, blowing of soot and building of a new fire.	
		Compliance Demonstration Method:	
		Compliance with the opacity limit is demonstrated while the boiler is fired with propane.	
		Limitation. [401 KAR 59:015 Section 4(2)] This requirement is applicable during the following months: All Year. Statistical basis: Six-minute average.	

TIN Inc - Temple-Inland Facility Requirements

Activity ID No.: APE20040002

Page 11 of 16

Limitation Requirements:

Condition No.	Parameter	Condition
L-4	operating condition	In order to preclude applicability of 401 KAR 52:020, both portable boilers shall only fire propane and shall be limited to an operating condition <= 786885 gallons of propane per year at the maximum rate of 100 mmBtu/hr total.
		Compliance Determination Method: For compliance with the operating condition for maximum fuel usage, refer to Monitoring Requirement (T-4).
		Preclude applicability. [401 KAR 50:020]

Narrative Requirements:

Applicable Regulations:

Condition No.	Condition
T-1	Applicable Regulations: New Indirect Heat Exchangers applies to new affected facilities less than 250 MM Btu/hr commenced on or after April 9, 1972. [401 KAR 59:015]
T-2	Applicable Regulations: 40 CFR Part 60 standards of performance for new stationary sources is applicable due to incorporation by reference of 40 CFR 60 Subpart Dc, Standards of performance for small industrial-commercial-institutional steam generating units. 40 CFR 60 Subpart Dc applies to each affected facility that commenced construction after June 9, 1989. [401 KAR 60:005 Section 3(e)]

Recordkeeping:

Condition No.	Condition
T-3	Recordkeeping: Record and maintain records of the amount of each fuel combusted by the unit during each day. [40 CFR 60.48c(g)]

TIN Inc - Temple-Inland Facility Requirements

Activity ID No.: APE20040002

Page 12 of 16

Narrative Requirements:

Monitoring:

Condition No.	Condition
T-4	Monitoring: The amount of each fuel combusted shall be determined for the units on a monthly basis. Daily records required by 40 CFR 60.48c(g) may be determined from monthly daily averages. [401 KAR Chapter 52 Section 10]
Condition No.	Condition
T-5	Pursuant to Regulation 401 KAR 59:005 2(2) and 401 KAR 50:045, Section 1, performance testing using the Reference Methods specified in Regulation 401 KAR 50:015 shall be conducted as required by the Division. [401 KAR 50:045 Section 2(2)]
T-6	Submit notification of date of construction or reconstruction (within 30 days after event) and actual start-up (within 15 days after event). Include in notification the design heat input capacity, list of fuels to be combusted, and anticipated annual capacity factor. [40 CFR 60.48(c)(a)]

TIN Inc - Temple-Inland Facility Requirements

Activity ID No.: APE20040002

Page 13 of 16

GACT5 (002 & 003) Emission Unit 02: Stock preparation and pulping area Emission Unit 03: Paper machine area:

Limitation Requirements:

Conditio No.	n Parameter	Condition
L-1	Methanol	To preclude 401 KAR 52:020, Volatile Organic Compounds (VOC) emissions shall not exceed 90% of the 100 tons/yr major source threshold on a twelve month rolling average. Methanol emissions shall not exceed 90% of the 10 tons/yr major source threshold on a twelve month rolling average (Methanol <= 9 tons/yr).
		Compliance Demonstration Method:
		To demonstrate compliance with the stated emission limit, the processing rate of this source shall not exceed 558,163 machine dried tons (MDT) per year of corrugated medium, liner board and bag paper, during any consecutive twelve month period, an emission factor of 0.0016 lbs methanol/MDT at the stock preparation area, and an emission factor of 0.0225 lbs methanol/MDT at the paper machine area, based on National Council for the Paper Industry for Air and Stream Improvement (NCASI) technical bulletins.
		Preclude applicability. [401 KAR 52:020] Statistical basis: Twelve-month rolling average (rolling 1-month basis).

Narrative Requirements:

Recordkeeping Requirements:

Condition No.	Condition
T-1	Recordkeeping Requirements: Maintain monthly logs of production on the paper machine. Computerized records shall be considered adquate to meet this requirement. This data shall be provided to the Division personnel upon request. [401 KAR 52:030]

TIN Inc - Temple-Inland Facility Requirements

Activity ID No.: APE20040002

Page 14 of 16

GACT6 (Insignificant) Emission Unit 04 & Insignificant activities:

Condition No.	Condition
T-1	The activities within this group have been determined to be insignificant activities for this source pursuant to 401 KAR 52:030 Section 6. While these activities are designated as insignificant the permittee must comply with the applicable regulation and some minimal level of periodic monitoring may be necessary. [401 KAR 52:030 Section 6]

TIN Inc - Temple-Inland Facility Requirements

Activity ID No.: APE20040002

Page 15 of 16

STOR1 (016) Emission Units 16 & 17 Starch Storage Silos

Limitation Requirements:

Condition		
No.	Parameter	Condition
L-1	PT (Particulate Matter)	Each unit shall typically have an average maximum emissions of PT (Particulate Matter) <= 16.1 lbs/hr, based on typical unloading rates. If the process weight rate for the unit is 1,000 lbs/hr or less, the limit on emissions of particulate matter is 2.34 lb/hr. If the process weight rate for the unit is above 1,000 lbs/hr, the limit on emissions of particulate matter from the unit can be determined (in lbs/hr) by taking the process weight rate for materials introduced into the unit (in tons/hr), raising the process weight rate value to the 0.62 power, and multiplying by 3.59 (maximum = 3.59 x process weight rate^0.62).
		Compliance Demonstration
		Compliance will be demonstrated from the following: The fabric filter systems on each Starch Storage Silo are designed with an air to cloth ratio of 3:1, yielding a high control efficiency. The maximum exit concentration of PT from baghouses in this operating configuration would be 0.03 gr/cf. Compliance will be demonstrated from the following emission calculation basis: PT emissions in pounds per hour = (emission factor of 0.03 gr/cf)(maximum rated fan capacity of 180 cfm)(60 min/hr)(lb/7000 gr).
		See Monitoring Requirements for monitoring rates and visual inspection of controls. [401 KAR 59:010 Section 3(2)] Statistical basis: Three-hour average.
L-2	Visible Emissions	Each unit shall have Visible Emissions < 20 % opacity
		Compliance Demonstration:
		The loading operation shall immediately cease should visible emissions be observed. Refer to Recordkeeping Requirements (T-2) and Monitoring (T-5) for this unit.
		Limitation. [401 KAR 59:010 Section 3(1)] Statistical basis: Six-minute average.

TIN Inc - Temple-Inland Facility Requirements

Activity ID No.: APE20040002

Page 16 of 16

Narrative Requirements:

Applicable Regulations:

Condition No.	Condition
T-1	Applicable Regulations: New process operations is applicable to each affected facility associated with a process operation commenced after July 2, 1975 and limits particulate emissions. [401 KAR 59:010]
Recordkeeping:	
Condition	

No.	Condition
T-2	Recordkeeping: The permittee shall maintain logs of preventative maintenance, inspections, and filter changes performed on the Starch Silo fabric filter systems. The permittee shall maintain and follow documented operating procedures covering the loading of materials into the Starch Storage Silos. At a minimum, these procedures shall require that a visual observation be conducted of the Silo exhaust points during each loading event. The procedures shall further require that the loading operation immediately cease should visible emissions be observed. The permittee shall keep a record in the preventative maintenance/inspection logs of such occurrences and any corrective actions taken accordingly. [401 KAR Chapter 52 Section 10]

Monitoring:

Condition No.	Condition
T-3	Monitoring: The permittee shall monitor the amount of material processed on a monthly basis. [401 KAR Chapter 52 Section 10]
T-4	Monitoring: The permittee shall monitor the hours of operation of the unit on a monthly basis. [401 KAR Chapter 52 Section 10]
T-5	Monitoring: The permittee shall perform a visual observation of the silo exhaust points during each loading event. [401 KAR Chapter 52 Section 10]